



K G Hospital
and Post Graduate Medical Institute & Research Centre
(Run by K. Govindaswamy Naidu Medical Trust)



No. 5, Govt. Arts College Road, Coimbatore - 641 018. INDIA.

Tel : (0422) 404 21 21, 221 91 91, 98429 28833 Fax : 0422 - 221 12 12

E-mail : info@kghospital.com Website : www.kghospital.com - EMERGENCY HELPLINE BSNL Landline : 155

01.06.2026

Coimbatore -18

The District Environmental Engineer

Tamilnadu Pollution Control Board

Plot No e 55 a- Sidco Industrial Estate

Pollachi Main Road

Kuruchi

Coimbatore South

Sub; Submission of annual of biomedical wastage report

Dear sir/mam

Submission of annual report in FORM IV for the disposal of biomedical wastage for the
period of January 2025 – December 2025 attached

Thanking you

Yours faithfully

R.Veluswamy
Executive director
VELUSWAMY R
EXECUTIVE DIRECTOR
K.G HOSPITAL
COIMBATORE - 641 018

Copy enclosed

1.Water act copy

2.Air act copy

Form - IV**(See rule 13)****ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	R.VELUSWAMY
	(ii) Name of HCF or CBMWTF	:	KG HOSPITAL
	(iii) Address for Correspondence	:	No 5, Arts College road, Coimbatore
	(iv) Address of Facility	:	No 5, Arts College road, Coimbatore
	(v) Tel. No, Fax. No	:	0422-2212121, 0422-2219191
	(vi) E-mail ID	:	veluswamyr@kghospital.com
	(vii) URL of Website	:	www.kghospital.com
	(viii) GPS coordinates of HCF or CBMWTF	:	-----
	(ix) Ownership of HCF or CBMWTF	:	Trust
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 21BAZ38382870 Valid up to: 31.3.2029

S.No.	Particulars		
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 31.3.2029
2.	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of beds 250beds
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-NA
	(iii) License number and its date of expiry	:	-NA
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No. of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day NA
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) (*<u>Interpretation</u> – Month wise and Total Annual Quantity)	:1	Yellow Category: 9,577.02Kg
		2	Red Category: 15,818.3 Kg
		3	White:1,341.52 Kg
		4	Blue category :5,304.9kg
			Total Waste Generated: 32,041.74kg
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility #<u>Interpretation</u> – Only Point No. (vi) is to be filled by the (Hospital) Occupier (if waste is being handed over to the operator of common Bio-medical Waste treatment facility) & rest of the points are for the operator of common Bio-medical Waste treatment facility.		

S.No.	Particulars																																																	
	(i) Details of the on-site storage facility	Size: 27×18.5 Capacity: Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th><th>No. of units</th><th>Capacity Kg/d a y</th><th>Quantity treated or disposed in kg per annum</th></tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td>NA</td></tr> <tr><td>Plasma Pyrolysis</td><td></td><td></td><td>NA</td></tr> <tr><td>Autoclaves</td><td></td><td></td><td>NA</td></tr> <tr><td>Microwave</td><td></td><td></td><td>NA</td></tr> <tr><td>Hydroclave</td><td></td><td></td><td>NA</td></tr> <tr><td>Shredder</td><td></td><td></td><td>NA</td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td>NA</td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td>NA</td></tr> <tr><td>Deep burial pits:</td><td></td><td></td><td>NA</td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td>NA</td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td>NA</td></tr> </tbody> </table>	Type of treatment equipment	No. of units	Capacity Kg/d a y	Quantity treated or disposed in kg per annum	Incinerators			NA	Plasma Pyrolysis			NA	Autoclaves			NA	Microwave			NA	Hydroclave			NA	Shredder			NA	Needle tip cutter or destroyer			NA	Sharps encapsulation or concrete pit			NA	Deep burial pits:			NA	Chemical disinfection:			NA	Any other treatment equipment:			NA
Type of treatment equipment	No. of units	Capacity Kg/d a y	Quantity treated or disposed in kg per annum																																															
Incinerators			NA																																															
Plasma Pyrolysis			NA																																															
Autoclaves			NA																																															
Microwave			NA																																															
Hydroclave			NA																																															
Shredder			NA																																															
Needle tip cutter or destroyer			NA																																															
Sharps encapsulation or concrete pit			NA																																															
Deep burial pits:			NA																																															
Chemical disinfection:			NA																																															
Any other treatment equipment:			NA																																															
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste	10nos																																																
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th></th><th>Quantity generated</th><th>Where disposed</th></tr> </thead> <tbody> <tr> <td>Incineration Ash</td><td>Nil</td><td>Nil</td></tr> <tr> <td>ETP Sludge</td><td>ETP with Biological system. Sludge taken as manual(very less)</td><td></td></tr> </tbody> </table>		Quantity generated	Where disposed	Incineration Ash	Nil	Nil	ETP Sludge	ETP with Biological system. Sludge taken as manual(very less)																																								
	Quantity generated	Where disposed																																																
Incineration Ash	Nil	Nil																																																
ETP Sludge	ETP with Biological system. Sludge taken as manual(very less)																																																	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	TECHNO THERM INDUSTRIES																																																

S.No.	Particulars	
	(vii) List of member HCF not handed over bio-medical waste	NIL
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	20
	(ii) number of personnel trained	650
	(iii) number of personnel trained at the time of induction	380
	(iv) number of personnel not undergone any training so far	18
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information)	NA
8.	Details of the accident occurred during the year	NIL
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details	NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA

S.No.	Particulars	
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Yes
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12.	Any other relevant information	p

Certified that the above report is for the period from Jan.2025 to 31 Dec.2025.

Date: 01-06-2026

Place: Coimbatore-18

Name and Signature of the Head of the Institution

Veluswamy R
VELUSWAMY R
EXECUTIVE DIRECTOR
K.G HOSPITAL
COIMBATORE - 641 018



TAMILNADU POLLUTION CONTROL BOARD

Category of the Industry :

ORANG
E



CONSENT ORDER NO. 2508266794667

DATED: 05/05/2025.

PROCEEDINGS NO.F.0174CBS/OL/DEE/TNPCB/CBS/A/2025 DATED: 05/05/2025

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT -M/s. K.GOVINDASAMY NAIDU MEDICAL TRUST . S.F.No. TS No.1260/1B & 2B, COIMBATORE TOWN village. Coimbatore south Taluk and Coimbatore District - Renewal of Consent for the operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) -Issued- Reg. (Industry User ID- R15CBS630619)

REF: 1. CTO Proc. No. T12/TNPCB/F 38541/CBE/RL/W&A/04 Dated: 16/03/2005
2. RCO Proc. No. F.0174CBS/OL/DEE/TNPCB/CBS/W&A/2021 DATED: 18/03/2021
3. Unit's application for renewal of consent through OCMMS application no. 66794667 dated: 17.04.2025
4. IR. No : F.0174CBS/OL/AE/CBS/2025 dated 04/05/2025

RENEWAL OF CONSENT is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

Chairman and Managing Trustee
M/s . K.GOVINDASAMY NAIDU MEDICAL TRUST
S.F.No. TS No.1260/1B & 2B
COIMBATORE TOWN Village
Coimbatore south Taluk
Coimbatore District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2029



TAMILNADU POLLUTION CONTROL BOARD

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	No. of Inpatients	250	Nos/day
2.	No. of Outpatients	350	Nos/day

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I Point source emission with stack :				
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm ³ /hr
1	DG Set-500 KVA	Acoustic enclosures with stack	26.55	
2	DG Set-500 KVA	Acoustic enclosures with stack	26.55	
3	Baby Boiler	Stack	2	
II Fugitive/Noise emission :				
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize "Mission LiFE" logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt "Mission LiFE" action points and document the same and furnish half yearly report to Board.

Additional Conditions:

1. The health care facility shall operate and maintain the air pollution control measures efficiently and continuously so as to satisfy the NAAQ / Emission / ANL standards prescribed by the Board
2. The Health care facility shall adhere to the National Ambient Air Quality/Ambient Noise Level standards prescribed
3. The Health care facility shall ensure that the Collection of Bio Medical Waste shall be in labelled containers as per the schedule III (BMW Rules, 2016)
4. The unit shall comply with the Notification No. TNPCB/Labs/DD(L)/02151/2019 dated 30.07.2024 on retrofitting of Emission Control Devices/Equipment in DG Sets with capacity of 61 KW – less than 800 KW and 800 KW & above in the state of Tamilnadu
5. In case of revision of consent fee by the Government, the health care facility shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the health care facility as per law.



TAMILNADU POLLUTION CONTROL BOARD

Category of the Industry :

ORANG
E



CONSENT ORDER NO. 2508166794667 DATED: 05/05/2025.

PROCEEDINGS NO.F.0174CBS/OL/DEE/TNPCB/CBS/W/2025 DATED: 05/05/2025

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT - M/s. K.GOVINDASAMY NAIDU MEDICAL TRUST, S.F.No. TS No.1260/1B & 2B, COIMBATORE TOWN village, Coimbatore south Taluk and Coimbatore District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) - Issued- Reg. (Industry User ID- R15CBS630619)

REF: 1. CTO Proc. No. T12/TNPCB/F 38541/CBE/RL/W&A/04 Dated: 16/03/2005
2. RCO Proc. No. F.0174CBS/OL/DEE/TNPCB/CBS/W&A/2021 DATED: 18/03/2021
3. Unit's application for renewal of consent through OCMMS application no. 66794667 dated: 17.04.2025
4. IR. No : F:0174CBS/OL/AE/CBS/2025 dated 04/05/2025

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

Chairman and Managing Trustee
M/s. K.GOVINDASAMY NAIDU MEDICAL TRUST
S.F No. TS No.1260/1B & 2B
COIMBATORE TOWN Village
Coimbatore south Taluk
Coimbatore District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2029

